

One-year, five-year and ten-year probability of cancer death and probability of non-cancer death

estimated with the **period approach** for patients diagnosed 1999 to 2013, with follow-up between 2009 and 2013 (see background note 2)



13 Rarer Cancers (ordered by ICD-10 code)

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Tongue	C01, C02 (not C02.4)	Men	15-49	837	10.5	0.2	25.5	1.0	32.3	2.2
			50-59	1651	14.3	0.5	36.0	2.4	45.4	5.2
			60-69	1766	20.5	1.2	41.4	5.2	51.9	10.7
			70-89	1328	30.7	3.9	50.1	14.8	-	-
			15-89 Age-standardised	5582	24.2	2.4	43.9	9.4	-	-
		Women	15-49	431	8.5	0.1	22.7	0.6	27.3	1.4
			50-59	665	14.9	0.3	33.9	1.6	40.5	3.6
			60-69	790	17.7	0.8	37.6	3.8	47.1	8.3
			70-89	989	25.8	3.4	45.3	13.5	-	-
			15-89 Age-standardised	2875	19.4	1.8	38.0	7.2	-	-
Persons	15-89 Age-sex-standardised	8457	21.8	2.1	40.9	8.3	-	-		
Oral Cavity	C03, C04, C05, C06	Men	15-49	552	14.0	0.2	32.2	1.0	40.4	2.3
			50-59	1141	16.2	0.6	42.3	2.6	53.3	5.2
			60-69	1519	21.0	1.2	46.8	5.3	60.0	10.5
			70-89	1331	30.9	4.2	50.7	15.4	-	-
			15-89 Age-standardised	4543	25.0	2.6	47.0	9.9	-	-
		Women	15-49	327	11.2	0.1	29.7	0.6	40.5	1.3
			50-59	550	13.9	0.4	32.8	1.7	45.7	3.7
			60-69	824	13.7	0.9	33.4	4.2	45.8	9.2
			70-89	1389	29.4	3.5	46.8	13.8	-	-
			15-89 Age-standardised	3090	20.4	1.8	38.7	7.4	-	-
Persons	15-89 Age-sex-standardised	7633	22.6	2.2	42.8	8.6	-	-		
Salivary	C07, C08	Men	15-49	284	2.8	0.2	14.5	0.8	17.9	1.9
			50-59	207	12.9	0.5	31.4	2.4	34.5	5.5
			60-69	351	16.5	1.2	43.2	5.3	53.8	10.9
			70-89	683	24.5	5.2	49.0	19.0	-	-
			15-89 Age-standardised	1525	19.0	3.1	42.2	11.7	-	-
		Women	15-49	367	2.1	0.1	7.1	0.5	10.9	1.2
			50-59	214	5.8	0.3	18.6	1.7	24.0	4.1
			60-69	257	8.3	0.8	19.4	4.2	25.8	10.5
			70-89	417	20.1	4.1	36.0	16.1	-	-
			15-89 Age-standardised	1255	12.1	2.1	24.6	8.5	-	-
Persons	15-89 Age-sex-standardised	2780	15.5	2.6	33.4	10.1	-	-		
Oropharynx	C09, C10, C02.4	Men	15-49	907	7.1	0.2	18.4	1.2	25.4	2.7
			50-59	1832	11.5	0.5	29.1	2.5	36.5	5.6
			60-69	1493	19.7	1.2	40.0	5.3	50.2	10.8
			70-89	721	31.7	3.5	53.9	12.8	-	-
			15-89 Age-standardised	4953	23.8	2.2	44.0	8.5	-	-
		Women	15-49	279	6.5	0.1	17.3	0.7	21.4	1.7
			50-59	576	13.1	0.3	29.8	1.6	37.6	3.7
			60-69	506	15.8	0.8	37.3	3.7	42.8	8.5
			70-89	314	31.9	2.5	49.0	11.0	-	-
			15-89 Age-standardised	1675	21.0	1.4	38.0	6.1	-	-
Persons	15-89 Age-sex-standardised	6628	22.4	1.8	41.0	7.3	-	-		
Hypopharynx	C12, C13	Men	15-49	116	24.8	0.2	65.9	0.8	-	-
			50-59	396	36.2	0.5	68.2	1.9	76.2	3.3
			60-69	633	35.6	1.2	68.9	4.1	79.2	7.0
			70-89	508	49.6	3.5	75.4	9.9	-	-
			15-89 Age-standardised	1653	42.0	2.2	71.9	6.5	-	-
		Women	15-49	41	-	-	-	-	-	-
			50-59	127	26.6	0.3	67.1	1.2	74.3	2.2
			60-69	148	26.8	0.8	58.8	3.1	-	-
			70-89	223	54.2	2.7	76.1	7.1	-	-
			15-89 Age-standardised	539	40.3	1.5	68.9	4.1	-	-
Persons	15-89 Age-sex-standardised	2192	41.2	1.9	70.4	5.3	-	-		
Small Bowel	C17	Men	15-49	281	21.8	0.2	39.3	0.8	44.5	1.7
			50-59	423	26.6	0.4	47.0	2.1	56.8	4.3
			60-69	831	26.5	1.1	51.2	4.7	57.6	9.5
			70-89	1278	43.3	3.4	61.0	11.9	-	-
			15-89 Age-standardised	2813	34.8	2.1	54.7	7.8	-	-
		Women	15-49	201	15.6	0.1	35.0	0.5	41.0	1.2
			50-59	310	20.6	0.3	42.7	1.4	54.5	3.1
			60-69	572	24.9	0.7	45.1	3.3	52.4	7.4
			70-89	1145	47.0	2.6	67.6	9.0	-	-
			15-89 Age-standardised	2228	32.5	1.4	53.0	5.1	-	-
Persons	15-89 Age-sex-standardised	5041	33.7	1.7	53.9	6.4	-	-		
Anus	C21 (not C21.8)	Men	15-49	224	10.6	0.2	29.0	1.0	34.9	2.3
			50-59	322	12.5	0.5	40.2	2.5	44.8	5.5
			60-69	465	12.8	1.2	37.2	5.7	42.3	12.5
			70-89	596	28.5	4.5	49.8	16.1	-	-
			15-89 Age-standardised	1607	20.7	2.7	43.4	10.3	-	-
		Women	15-49	398	2.7	0.1	18.7	0.7	28.4	1.7
			50-59	642	5.7	0.3	22.9	1.7	29.2	4.1
			60-69	737	7.7	0.8	24.6	4.3	31.6	10.4
			70-89	997	21.8	3.5	43.9	14.1	-	-
			15-89 Age-standardised	2774	12.8	1.8	31.9	7.6	-	-
Persons	15-89 Age-sex-standardised	4381	16.7	2.3	37.7	8.9	-	-		

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Gallbladder	C23, C24	Men	15-49	135	24.9	0.2	59.1	0.7	-	-
			50-59	318	38.9	0.4	72.9	1.5	77.1	2.7
			60-69	824	41.4	1.0	73.3	3.3	77.2	6.0
			70-89	1798	58.9	3.2	81.7	7.4	-	-
			15-89 Age-standardised	3075	48.8	2.0	76.4	5.0	-	-
		Women	15-49	172	38.5	0.1	63.3	0.4	66.8	0.8
			50-59	387	48.0	0.2	77.2	0.7	78.7	1.5
			60-69	995	48.4	0.6	77.7	1.9	80.9	3.5
			70-89	2578	69.5	2.1	87.2	4.6	-	-
			15-89 Age-standardised	4132	56.1	1.1	79.5	2.6	-	-
Persons	15-89 Age-sex-standardised	7207	52.5	1.6	78.0	3.8	-	-		
Nasal sinuses	C30, C31	Men	15-49	186	19.3	0.2	39.6	0.8	-	-
			50-59	206	19.7	0.5	42.8	2.1	47.4	5.0
			60-69	327	24.2	1.2	50.6	4.9	57.5	10.0
			70-89	435	34.5	4.4	51.9	15.5	-	-
			15-89 Age-standardised	1154	28.6	2.7	49.3	9.7	-	-
		Women	15-49	113	11.3	0.1	34.7	0.4	41.4	1.0
			50-59	124	11.0	0.3	37.9	1.6	-	-
			60-69	213	18.1	0.8	43.7	3.5	53.2	8.4
			70-89	364	32.1	3.5	52.4	13.2	-	-
			15-89 Age-standardised	814	22.0	1.8	45.1	7.0	-	-
Persons	15-89 Age-sex-standardised	1968	25.3	2.2	47.2	8.3	-	-		
Bones	C40, C41	Men	15-49	582	8.2	0.1	31.2	0.5	36.3	1.0
			50-59	186	14.1	0.5	28.8	2.4	39.3	5.3
			60-69	212	23.1	1.0	42.1	5.1	53.0	10.1
			70-89	259	30.3	4.1	52.5	15.0	-	-
			15-89 Age-standardised	1239	24.4	2.5	44.9	9.5	-	-
		Women	15-49	404	7.5	0.1	24.9	0.3	32.3	0.7
			50-59	111	12.4	0.3	25.8	1.5	-	-
			60-69	138	29.1	0.7	51.7	2.9	57.8	6.3
			70-89	207	37.4	2.9	59.0	10.7	-	-
			15-89 Age-standardised	860	26.3	1.5	46.1	5.7	-	-
Persons	15-89 Age-sex-standardised	2099	25.4	2.0	45.5	7.6	-	-		
Vagina	C51, C52	Women	15-49	795	5.8	0.1	18.0	0.7	23.5	1.6
			50-59	825	8.9	0.3	26.2	1.8	35.4	4.1
			60-69	1096	13.6	0.8	33.9	4.1	41.1	9.4
			70-89	2856	24.7	4.1	42.3	16.6	-	-
			15-89 Age-standardised	5572	16.5	2.1	33.7	8.7	-	-
Penis	C60	Men	15-49	278	4.8	0.2	16.5	1.1	19.2	2.4
			50-59	419	9.1	0.5	21.3	2.9	26.5	6.5
			60-69	580	9.1	1.3	22.8	6.5	25.5	15.3
			70-89	924	15.3	5.2	29.6	22.3	-	-
			15-89 Age-standardised	2201	11.9	3.1	25.6	13.8	-	-
Eye	C69	Men	15-49	204	3.4	0.2	19.2	1.0	27.5	2.0
			50-59	237	4.4	0.5	25.4	2.6	35.7	5.6
			60-69	303	5.4	1.2	28.6	6.2	37.7	13.5
			70-89	414	6.6	5.2	33.7	21.4	-	-
			15-89 Age-standardised	1158	5.7	3.1	30.0	13.2	-	-
		Women	15-49	204	2.4	0.1	19.1	0.5	29.5	1.2
			50-59	177	4.9	0.3	26.4	1.8	37.2	3.9
			60-69	248	4.6	0.8	30.8	4.0	42.2	9.1
			70-89	372	7.0	4.0	32.2	17.7	-	-
			15-89 Age-standardised	1001	5.4	2.0	28.7	9.1	-	-
Persons	15-89 Age-sex-standardised	2159	5.5	2.5	29.4	11.1	-	-		

25 Common Cancers (ordered by ICD-10 code)

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Oesophagus	C15	Men	15-49	1038	49.0	0.2	81.9	0.5	83.7	0.8
			50-59	3339	49.9	0.4	80.7	1.2	83.7	2.0
			60-69	7001	49.3	1.0	81.2	2.6	83.7	4.4
			70-79	6945	56.1	2.3	83.1	5.6	85.3	8.4
			80-99	5102	69.8	5.4	88.6	8.9	89.2	10.0
			15-99 Age-standardised	23425	55.3	2.1	83.2	4.4	85.2	6.2
		Women	15-49	312	42.2	0.1	74.6	0.4	76.8	0.7
			50-59	1062	44.2	0.3	74.2	0.9	78.9	1.7
			60-69	2355	47.2	0.7	76.7	2.0	80.2	3.7
			70-79	3264	58.0	1.7	83.3	4.1	86.5	6.4
			80-99	4301	74.5	4.1	91.3	6.4	92.1	7.3
			15-99 Age-standardised	11294	54.1	1.5	80.5	3.0	83.4	4.3
		Persons	15-99 Age-sex-standardised	34719	54.7	1.8	81.8	3.7	84.3	5.2
		Stomach	C16	Men	15-39	216	46.4	0.1	68.9	0.2
40-49	725				44.2	0.2	74.8	0.6	78.6	1.1
50-59	1790				44.6	0.4	73.7	1.4	76.9	2.6
60-69	4067				48.3	1.0	76.5	3.0	79.4	5.5
70-79	6455				54.8	2.4	78.6	6.5	81.0	10.6
80-99	5494				68.0	5.3	85.5	10.1	85.8	12.7
15-99 Age-standardised	18747			53.3	2.1	78.1	5.1	80.4	7.8	
Women	15-39			201	41.6	0.0	61.5	0.1	-	-
	40-49			435	44.1	0.1	68.4	0.4	-	-
	50-59			797	46.7	0.3	70.8	0.9	74.0	1.8
	60-69			1529	47.3	0.6	73.0	2.2	75.6	4.5
	70-79			3008	56.0	1.6	77.8	5.0	80.4	8.8
	80-99			3921	71.2	4.0	87.2	8.0	87.9	10.2
15-99 Age-standardised	9891			53.5	1.4	75.5	3.5	-	-	
Persons	15-99 Age-sex-standardised	28638	53.4	1.7	76.8	4.3	-	-		
Colon	C18	Men	15-39	983	14.2	0.1	32.4	0.4	36.8	0.9
			40-49	1799	17.4	0.2	39.9	1.0	44.6	2.1
			50-59	5166	18.2	0.5	40.7	2.3	45.2	5.1
			60-69	14975	16.8	1.2	34.6	5.8	39.7	13.0
			70-79	18578	24.1	3.0	41.0	13.3	44.1	26.8
			80-99	14493	38.5	7.1	50.5	25.1	51.4	39.6
		15-99 Age-standardised	55994	23.3	2.7	40.6	11.0	44.1	20.6	
		Women	15-39	1103	11.8	0.0	29.2	0.2	33.7	0.5
			40-49	1851	15.4	0.1	38.7	0.6	43.0	1.4
			50-59	4494	17.1	0.3	39.0	1.5	42.7	3.4
			60-69	11048	17.0	0.8	35.2	3.9	38.7	9.2
			70-79	15028	24.8	2.1	40.4	9.9	43.7	21.2
			80-99	17165	42.7	5.4	54.2	19.3	54.7	33.2
		15-99 Age-standardised	50689	23.6	1.8	40.9	7.5	43.9	14.8	
Persons	15-99 Age-sex-standardised	106683	23.4	2.2	40.7	9.2	44.0	17.7		
Colorectum	C18-C20, C21.8	Men	15-39	1487	13.5	0.1	33.7	0.4	40.0	0.9
			40-49	3278	14.9	0.2	38.4	1.0	44.2	2.2
			50-59	10068	15.3	0.5	39.0	2.4	44.4	5.2
			60-69	26135	15.0	1.2	34.0	5.9	39.8	13.1
			70-79	29777	22.1	3.0	40.6	13.4	44.3	26.8
			80-99	21604	36.2	7.4	51.5	25.2	52.5	38.9
		15-99 Age-standardised	92349	21.2	2.7	40.2	11.0	44.4	20.5	
		Women	15-39	1501	12.2	0.0	31.2	0.2	36.0	0.5
			40-49	3027	13.3	0.1	36.2	0.7	41.3	1.5
			50-59	7379	14.2	0.3	35.8	1.6	40.2	3.6
			60-69	16308	15.4	0.8	33.1	4.0	37.4	9.4
			70-79	21050	23.3	2.1	40.2	9.9	43.6	21.3
			80-99	23162	41.0	5.6	55.0	19.4	56.0	32.5
		15-99 Age-standardised	72427	21.8	1.9	39.9	7.6	43.4	14.7	
Persons	15-99 Age-sex-standardised	164776	21.5	2.3	40.0	9.3	43.9	17.6		
Rectum	C19-C20, C21.8	Men	15-39	504	12.3	0.1	35.7	0.4	45.2	0.9
			40-49	1479	11.8	0.2	36.7	1.1	43.7	2.3
			50-59	4902	12.1	0.5	37.2	2.5	43.6	5.3
			60-69	11160	12.5	1.2	33.1	6.1	39.8	13.2
			70-79	11199	18.9	3.1	39.9	13.6	44.6	26.8
			80-99	7111	31.6	7.9	53.3	25.3	54.5	37.7
		15-99 Age-standardised	36355	18.0	2.9	39.8	11.2	44.9	20.3	
		Women	15-39	398	13.4	0.0	35.4	0.2	40.9	0.6
			40-49	1177	10.2	0.1	32.5	0.7	38.9	1.5
			50-59	2885	9.6	0.3	31.0	1.7	36.4	3.8
			60-69	5260	12.2	0.8	29.0	4.1	34.5	9.8
			70-79	6022	19.4	2.2	39.6	10.1	43.2	21.4
			80-99	5997	36.4	6.2	56.7	19.8	58.8	31.1
		15-99 Age-standardised	21739	18.2	2.0	38.2	7.8	42.6	14.6	
Persons	15-99 Age-sex-standardised	58094	18.1	2.4	39.0	9.5	43.8	17.4		
Liver	C22	Men	15-39	161	58.8	0.1	76.9	0.2	80.6	0.3
			40-49	501	54.8	0.2	78.6	0.5	81.4	1.0
			50-59	1670	56.9	0.4	80.6	1.1	83.7	1.9
			60-69	3099	62.5	0.8	85.6	2.1	88.5	3.4
			70-79	3598	69.0	1.7	90.5	4.0	91.9	5.3
			80-99	2566	78.2	3.8	90.9	6.6	-	-
		15-99 Age-standardised	11595	66.3	1.5	87.0	3.3	-	-	
		Women	15-39	104	38.1	0.0	67.0	0.1	75.8	0.2
			40-49	226	51.2	0.1	76.4	0.3	80.4	0.6
			50-59	659	57.7	0.2	84.3	0.7	88.0	1.1
			60-69	1313	64.0	0.5	86.4	1.4	90.1	2.2
			70-79	2072	73.1	1.2	92.1	2.5	95.0	3.4
			80-99	2310	85.8	2.6	95.2	3.9	-	-
		15-99 Age-standardised	6684	66.8	1.0	87.2	1.9	-	-	
Persons	15-99 Age-sex-standardised	18279	66.6	1.2	87.1	2.6	-	-		

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Pancreas	C25	Men	15-49	836	61.0	0.1	83.9	0.3	88.0	0.6
			50-59	2130	70.1	0.3	91.0	0.6	93.0	1.0
			60-69	4882	75.3	0.6	93.8	1.2	95.2	1.7
			70-79	5749	81.1	1.3	94.4	2.4	94.9	3.2
			80-99	4340	89.5	2.8	94.7	4.1	-	-
			15-99 Age-standardised	17937	77.9	1.2	93.0	2.0	-	-
		Women	15-49	661	51.0	0.1	75.0	0.2	81.4	0.4
			50-59	1565	65.5	0.2	91.0	0.4	93.3	0.7
			60-69	3935	73.0	0.4	93.6	0.9	95.0	1.3
			70-79	5530	80.8	1.0	95.2	1.8	95.6	2.4
			80-99	6320	89.0	2.3	95.6	3.4	-	-
			15-99 Age-standardised	18011	73.5	0.8	91.1	1.4	-	-
		Persons	15-99 Age-sex-standardised	35948	75.7	1.0	92.0	1.7	-	-
Larynx	C32	Men	15-49	450	9.2	0.2	25.6	1.3	32.9	3.0
			50-59	1387	10.9	0.6	29.5	3.0	39.0	6.6
			60-69	2589	13.1	1.4	33.6	6.5	41.4	13.9
			70-79	2082	15.9	3.2	34.0	15.0	43.1	29.1
			80-99	1029	22.8	8.6	36.7	33.0	-	-
			15-99 Age-standardised	7537	15.2	3.1	33.1	13.2	41.1	23.5
Lung	C33, C34	Men	15-39	394	40.7	0.1	60.1	0.3	62.4	0.6
			40-49	2014	60.6	0.2	84.2	0.5	86.6	0.8
			50-59	8981	62.5	0.4	87.0	0.9	90.0	1.5
			60-69	25466	63.7	0.8	87.1	2.1	90.4	3.3
			70-79	33338	68.3	1.9	88.7	4.3	91.0	6.0
			80-99	23929	76.0	4.3	89.6	7.7	90.0	9.1
		15-99 Age-standardised	94122	66.3	1.7	86.9	3.6	89.3	4.8	
		Women	15-39	389	30.5	0.0	54.1	0.2	57.1	0.4
			40-49	2010	50.8	0.1	78.2	0.4	82.0	0.6
			50-59	8056	54.6	0.3	82.4	0.7	86.6	1.3
			60-69	20400	57.5	0.6	83.8	1.7	87.7	2.8
			70-79	24689	63.8	1.4	86.5	3.7	89.9	5.5
			80-99	21422	74.5	3.4	89.9	6.6	91.0	7.9
15-99 Age-standardised	76966	59.7	1.2	83.2	2.8	86.4	3.9			
Persons	15-99 Age-sex-standardised	171088	63.0	1.5	85.0	3.2	87.8	4.3		
Melanoma of skin	C43	Men	15-39	2253	2.3	0.1	9.6	0.5	12.9	1.1
			40-49	3054	2.7	0.2	10.5	1.1	14.3	2.6
			50-59	4113	3.0	0.5	12.6	2.6	17.5	6.2
			60-69	6476	3.5	1.2	15.0	6.4	19.5	15.0
			70-79	6133	4.7	3.2	18.7	16.2	21.4	34.5
			80-99	4162	6.9	10.4	20.6	40.8	-	-
		15-99 Age-standardised	26191	4.4	3.3	16.6	14.9	20.1	28.1	
		Women	15-39	4109	0.8	0.0	3.4	0.3	5.4	0.7
			40-49	4465	1.0	0.1	4.8	0.7	7.5	1.8
			50-59	4602	1.3	0.3	6.8	1.8	9.3	4.4
			60-69	5646	2.0	0.8	8.9	4.4	11.8	11.3
			70-79	4606	2.4	2.3	10.4	12.8	12.9	29.7
			80-99	4082	4.0	8.5	15.9	36.2	18.6	60.9
15-99 Age-standardised	27510	2.2	2.5	9.6	11.7	12.2	23.0			
Persons	15-99 Age-sex-standardised	53701	3.3	2.9	13.0	13.3	16.1	25.5		
Mesothelioma	C45	Men	15-49	83	-	-	85.5	0.5	89.7	0.7
			50-59	518	44.4	0.4	91.7	1.0	95.4	1.2
			60-69	2514	53.4	1.0	93.8	1.9	96.0	2.2
			70-79	3748	62.7	2.1	93.7	3.7	95.2	4.2
			80-99	2517	73.7	4.5	91.9	7.0	-	-
			15-99 Age-standardised	9380	57.9	1.9	92.5	3.2	-	-
		Women	15-49	69	-	-	-	-	-	-
			50-59	168	41.0	0.3	82.0	0.7	-	-
			60-69	480	44.7	0.7	90.8	1.5	-	-
			70-79	725	53.7	1.6	92.4	3.3	-	-
			80-99	534	75.5	3.7	-	-	-	-
			15-99 Age-standardised	1976	51.6	1.3	-	-	-	-
		Persons	15-99 Age-sex-standardised	11356	54.7	1.6	-	-	-	-
Breast	C50	Women	15-39	8737	1.8	0.1	15.8	0.3	25.1	0.8
			40-49	31962	1.4	0.1	10.5	0.8	17.6	1.9
			50-59	42308	1.7	0.3	9.3	1.8	14.7	4.5
			60-69	50697	2.0	0.8	8.6	4.8	13.5	11.7
			70-79	32320	5.5	2.4	17.6	12.7	24.5	27.6
			80-99	29891	11.4	8.0	28.3	32.5	34.1	50.9
			15-99 Age-standardised	195915	4.6	2.4	15.5	11.1	21.7	20.7
Cervix	C53	Women	15-39	5308	3.4	0.0	10.4	0.3	11.8	0.7
			40-49	2577	7.7	0.1	20.2	0.7	23.1	1.7
			50-59	1608	12.9	0.3	32.8	1.6	38.7	3.7
			60-69	1250	22.1	0.8	45.9	3.5	53.2	7.6
			70-79	1007	31.8	2.0	57.8	8.2	64.3	15.4
			80-99	875	47.0	5.7	69.9	14.9	71.9	22.2
			15-99 Age-standardised	12625	25.4	1.9	46.9	6.2	51.9	10.8
Uterus	C54, C55	Women	15-39	494	4.5	0.1	11.7	0.3	16.3	0.8
			40-49	1911	5.8	0.2	14.2	0.8	17.8	2.0
			50-59	6952	5.3	0.3	13.3	1.9	16.5	4.8
			60-69	11356	6.5	0.8	18.9	4.4	21.7	10.8
			70-79	9176	11.5	2.2	27.4	10.9	30.2	24.1
			80-99	4809	24.3	6.3	41.1	24.2	43.2	41.2
			15-99 Age-standardised	34698	10.9	2.1	23.6	8.9	26.5	17.7
Ovary	C56, C57.0 - C57.6	Women	15-39	2220	4.4	0.0	12.5	0.3	16.0	0.6
			40-49	3079	8.2	0.1	27.3	0.7	35.8	1.6
			50-59	5029	12.8	0.3	41.8	1.5	51.5	3.1
			60-69	7447	21.3	0.7	57.5	3.0	65.6	5.9
			70-79	6577	34.3	1.8	65.2	6.7	70.7	12.1
			80-99	4712	61.8	3.8	78.2	10.4	80.0	15.5
			15-99 Age-standardised	29064	28.8	1.4	55.3	4.8	61.5	8.2

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Prostate	C61	Men	15-49	1957	1.7	0.2	9.9	1.4	14.6	3.2
			50-59	18241	1.4	0.5	7.8	3.2	12.1	7.6
			60-69	61845	1.3	1.3	7.3	7.4	11.3	17.9
			70-79	66088	3.2	3.3	12.5	17.7	18.9	37.5
			80-99	33587	15.1	9.1	31.9	34.9	37.6	52.4
			15-99 Age-standardised	181718	4.4	3.2	13.7	14.8	18.9	28.3
Testis	C62	Men	15-39	5593	1.2	0.1	2.4	0.4	2.7	1.1
			40-49	2106	0.9	0.2	1.9	1.2	2.2	2.9
			50-59	862	1.2	0.4	2.7	2.7	4.0	6.7
			60-69	356	6.5	1.1	12.5	6.2	14.3	15.2
			70-79	141	14.0	2.8	25.6	14.1	-	-
			80-99	64	-	-	-	-	-	-
15-99 Age-standardised	9122	12.1	2.7	18.9	12.1	-	-			
Kidney	C64 - C66, C68	Men	15-49	2442	13.9	0.2	26.9	0.9	33.2	2.2
			50-59	3997	18.8	0.5	35.6	2.3	44.8	5.1
			60-69	7190	21.8	1.1	40.9	5.3	49.3	11.5
			70-79	7450	28.0	2.8	46.6	12.1	53.0	23.4
			80-99	4755	42.8	6.8	59.9	21.4	63.3	30.7
			15-99 Age-standardised	25834	26.6	2.5	44.4	9.8	51.1	17.5
		Women	15-49	1328	11.2	0.1	21.1	0.6	25.7	1.5
			50-59	2162	16.4	0.3	30.8	1.7	36.0	3.8
			60-69	3720	20.8	0.8	37.6	3.8	44.7	8.7
			70-79	4490	28.4	2.0	46.3	9.1	53.7	18.4
			80-99	3796	47.3	5.1	64.2	16.3	67.6	24.9
			15-99 Age-standardised	15496	25.7	1.8	41.3	6.8	47.1	12.5
		Persons	15-99 Age-sex-standardised	41330	26.1	2.2	42.8	8.3	49.1	14.9
		Bladder	C67	Men	15-49	728	13.3	0.2	27.5	1.0
50-59	2234				14.5	0.5	32.0	2.6	38.0	6.0
60-69	7062				16.8	1.3	34.7	6.1	41.0	13.4
70-79	11027				21.5	3.2	41.4	13.7	47.4	26.6
80-99	10190				33.1	8.3	51.1	26.9	54.1	39.1
15-99 Age-standardised	31241				20.7	3.0	39.0	11.6	44.3	20.7
Women	15-49			348	34.8	0.1	52.9	0.4	54.2	0.9
	50-59			805	23.8	0.3	43.2	1.5	47.2	3.4
	60-69			2086	25.2	0.8	43.5	3.6	47.9	8.3
	70-79			3628	32.2	2.1	51.4	8.7	56.2	17.5
	80-99			4943	48.8	5.8	64.4	17.1	66.2	26.3
	15-99 Age-standardised			11810	32.8	1.9	51.0	6.7	54.5	12.2
Persons	15-99 Age-sex-standardised			43051	26.8	2.5	45.1	9.1	49.5	16.4
Brain	C71			Men	15-39	1342	15.3	0.1	42.4	0.3
		40-49	1133		30.9	0.2	67.6	0.6	77.0	1.1
		50-59	1888		50.0	0.4	87.3	0.8	90.9	1.3
		60-69	2960		66.6	0.7	93.2	1.4	95.3	1.8
		70-79	2390		86.3	1.3	96.8	1.8	97.3	2.1
		80-99	1201		94.7	2.4	-	-	-	-
		15-99 Age-standardised	10914	72.8	1.1	-	-	-	-	
		Women	15-39	830	14.8	0.0	38.5	0.2	54.1	0.4
			40-49	784	26.4	0.1	60.6	0.4	72.1	0.8
			50-59	1252	48.6	0.2	84.9	0.6	90.6	0.9
			60-69	1947	68.6	0.5	92.4	0.9	95.2	1.3
			70-79	1816	88.2	0.9	96.1	1.3	97.0	1.7
			80-99	1213	95.4	1.8	-	-	-	-
		15-99 Age-standardised	7842	68.3	0.7	-	-	-	-	
Persons	15-99 Age-sex-standardised	18756	70.5	0.9	-	-	-	-		
Thyroid	C73	Men	15-49	1272	1.2	0.1	4.2	0.8	5.8	1.9
			50-59	588	3.9	0.5	11.0	2.8	16.2	6.7
			60-69	604	13.0	1.1	23.4	5.9	28.7	14.3
			70-79	519	19.9	2.8	29.8	14.5	-	-
			80-99	249	39.6	6.7	-	-	-	-
			15-99 Age-standardised	3232	18.0	2.5	27.8	11.3	-	-
		Women	15-49	4439	0.2	0.1	0.7	0.5	1.5	1.2
			50-59	1441	2.4	0.3	4.6	1.8	4.9	4.7
			60-69	1233	6.8	0.8	10.7	4.4	16.0	11.4
			70-79	857	17.5	2.0	26.1	10.6	31.7	23.8
			80-99	593	40.7	4.8	46.9	20.2	-	-
			15-99 Age-standardised	8563	14.4	1.7	19.2	8.0	22.9	16.6
		Persons	15-99 Age-sex-standardised	11795	16.2	2.1	23.5	9.6	-	-
		Hodgkin lymphoma	C81	Men	15-39	1721	1.0	0.1	5.5	0.4
40-49	668				4.4	0.2	10.9	1.2	14.3	2.8
50-59	573				10.5	0.5	18.6	2.6	25.8	6.2
60-69	577				21.7	1.1	35.6	5.5	43.4	11.9
70-79	437				35.1	2.7	52.7	11.0	60.7	19.6
80-99	213				55.7	5.4	-	-	-	-
15-99 Age-standardised	4189			29.4	2.2	42.7	8.6	-	-	
Women	15-39			1520	1.1	0.0	5.6	0.2	7.5	0.5
	40-49			407	2.9	0.1	7.0	0.8	-	-
	50-59			358	7.6	0.3	13.2	1.9	19.6	4.5
	60-69			411	13.3	0.8	26.0	4.3	37.6	9.7
	70-79			364	29.0	1.9	45.2	8.8	50.8	18.1
	80-99			227	38.4	5.3	64.4	16.8	-	-
15-99 Age-standardised	3287			19.6	1.8	33.3	6.9	-	-	
Persons	15-99 Age-sex-standardised	7476	24.4	2.0	38.0	7.7	-	-		

Cancer	ICD-10 code	Sex	Age group (years)	Patients followed up during 2009-2013	One-year risk		Five-year risk		Ten-year risk	
					Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)	Cancer death (%)	Non-cancer death (%)
Non-Hodgkin lymphoma	C82 - C85	Men	15-39	1669	9.4	0.1	16.2	0.4	19.3	1.0
			40-49	2345	11.5	0.2	20.8	1.1	25.4	2.6
			50-59	3979	12.9	0.5	25.1	2.5	33.9	5.8
			60-69	7285	18.1	1.1	33.1	5.6	42.8	12.3
			70-79	7962	25.8	2.8	43.3	12.6	52.2	24.1
			80-99	5272	40.7	6.8	55.2	23.3	59.4	34.6
			15-99 Age-standardised	28512	23.5	2.5	38.3	10.4	46.2	18.6
		Women	15-39	1165	7.0	0.0	13.5	0.2	16.2	0.6
			40-49	1630	9.0	0.1	15.3	0.8	19.3	1.8
			50-59	3126	9.0	0.3	18.5	1.8	26.7	4.2
			60-69	5880	14.0	0.8	26.0	4.2	35.6	9.7
			70-79	6621	23.1	2.0	37.1	10.0	48.3	20.4
			80-99	5468	40.9	5.4	55.9	19.3	61.9	29.7
			15-99 Age-standardised	23890	19.8	1.8	31.7	7.7	39.8	14.2
Persons	15-99 Age-sex-standardised	52402	21.6	2.2	35.0	9.0	43.0	16.4		
Myeloma	C90	Men	15-49	702	8.2	0.2	31.2	1.0	48.9	1.9
			50-59	1355	11.3	0.5	37.2	2.4	59.6	4.7
			60-69	2975	14.3	1.2	42.6	5.5	64.5	10.1
			70-79	3845	23.6	3.0	56.6	11.8	72.6	17.7
			80-99	2792	39.3	7.1	66.0	20.9	71.5	26.1
			15-99 Age-standardised	11669	21.0	2.7	50.0	9.6	66.6	14.2
			Women	15-49	474	7.1	0.1	26.9	0.6	46.7
		50-59		932	10.3	0.3	34.1	1.7	53.7	3.4
		60-69		2132	14.3	0.8	45.0	3.7	67.4	6.9
		70-79		2873	21.8	2.1	58.2	8.7	76.0	13.4
		80-99		2553	43.0	5.3	73.3	14.8	80.1	18.2
		15-99 Age-standardised		8964	20.0	1.8	49.3	6.4	66.6	9.3
		Persons		15-99 Age-sex-standardised	20633	20.5	2.3	49.6	8.0	66.6
		Leukaemia	C91 - C95	Men	15-39	1217	14.7	0.1	31.3	0.3
40-49	1196				13.6	0.2	26.5	1.1	33.9	2.4
50-59	2421				16.3	0.5	32.2	2.4	44.0	5.2
60-69	4950				23.8	1.1	44.1	5.1	56.9	10.4
70-79	6035				35.4	2.6	56.1	10.7	65.7	18.7
80-99	4685				50.0	6.4	67.6	19.3	71.5	25.4
15-99 Age-standardised	20504				30.7	2.4	49.6	8.8	59.0	14.6
Women	15-39			858	15.0	0.0	30.0	0.2	32.4	0.4
	40-49			845	16.8	0.1	30.8	0.7	36.1	1.5
	50-59			1564	17.8	0.3	33.2	1.5	41.1	3.5
	60-69			2840	25.6	0.7	44.9	3.4	53.9	7.4
	70-79			3778	37.7	1.8	56.4	7.8	65.9	14.7
	80-99			4127	54.8	4.8	71.2	14.9	75.0	20.6
	15-99 Age-standardised			14012	31.6	1.6	48.8	6.0	56.0	10.2
Persons	15-99 Age-sex-standardised	34516	31.2	2.0	49.2	7.4	57.5	12.4		